

Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46

The following pictures are about an application of the [automatic loader for adhesive granules EASY-CHARGE](#)

EASY CHARGE can manage up to 3 lines at the same time. The one in the pictures is a version with 2 channels **EASY-CH2**.

LINE 1

(Click on pictures to enlarge)



Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46

EASY-CHARGE can overcome significant height drop.

Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46

In this line the initial rise of the hose is about 4 m.

Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46



Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46

Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46

The hose drops about 3 m down to the Hot-Melt applicator, after 12 m horizontally.

Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46

LINE 2

(Click on pictures to enlarge)



Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46

In this second line you can see the transporting granules hose overhead.



Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46

In this picture you can see the hose down into the hopper, in this case equipped with the optional filter

Easy-charge on sugar packaging line

Written by emmeci

Tuesday, 26 May 2009 15:54 - Last Updated Thursday, 18 September 2014 12:46
